

COMPARE AMBIENT TEMPERATURE CHARTS WITHIN INSTALLATION INSTRUCTIONS AGAINST JOINT DIMENSIONS IN THE FIELD PRIOR TO ORDERING PRODUCT.


SYSTEM	JOINT WIDTH		NOMINAL JOINT WIDTH INSTALL RANGE		MOVEMENT ±			
	US	mm	US	mm	MINIMUM US	MINIMUM mm	MAXIMUM US	MAXIMUM mm
AR-100S	1"	25	3/4"-1 1/4"	19-32	1/2"	13	1 1/2"	38

FINISH: N/A
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION -
ARCHITECTURAL COMPRESSION SEAL - EXTERIOR/OPEN STRUCTURE

DATE:	1-25-19
SCALE:	1:1
DOC:	CADJM.217/R4





COMPARE AMBIENT TEMPERATURE CHARTS WITHIN INSTALLATION INSTRUCTIONS AGAINST JOINT DIMENSIONS IN THE FIELD PRIOR TO ORDERING PRODUCT.

SYSTEM	JOINT WIDTH		NOMINAL JOINT WIDTH INSTALL RANGE		MOVEMENT ±			
	US	mm	US	mm	MINIMUM		MAXIMUM	
					US	mm	US	mm
AR-200S	2"	51	1 5/8"-2 3/8"	41-60	1"	25	3"	75


FINISH: N/A
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION -
ARCHITECTURAL COMPRESSION SEAL - EXTERIOR/OPEN STRUCTURE

DATE:	6-25-13
SCALE:	1:1
DOC:	CADJM.217/R4



For More Information Visit: Inprocorp.com



COMPARE AMBIENT TEMPERATURE CHARTS WITHIN INSTALLATION INSTRUCTIONS AGAINST JOINT DIMENSIONS IN THE FIELD PRIOR TO ORDERING PRODUCT.

SYSTEM	JOINT WIDTH		NOMINAL JOINT WIDTH INSTALL RANGE		MOVEMENT ±			
	US	mm	US	mm	MINIMUM		MAXIMUM	
					US	mm	US	mm
AR-300S	3"	76	2 1/2"-3 3/8"	63-86	1 1/2"	38	4 1/2"	114


FINISH: N/A
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION -
ARCHITECTURAL COMPRESSION SEAL - EXTERIOR/OPEN STRUCTURE

DATE:	7-9-19
SCALE:	1:1
DOC:	CADJM.217/R4



For More Information Visit: Inprocorp.com



COMPARE AMBIENT TEMPERATURE CHARTS WITHIN INSTALLATION INSTRUCTIONS AGAINST JOINT DIMENSIONS IN THE FIELD PRIOR TO ORDERING PRODUCT.

SYSTEM	JOINT WIDTH		NOMINAL JOINT WIDTH INSTALL RANGE		MOVEMENT ±			
	US	mm	US	mm	US	mm	US	mm
AR-400S	4"	102	3 1/2"-4 3/8"	89-111	2"	51	6"	152

FINISH: N/A
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION -
ARCHITECTURAL COMPRESSION SEAL - EXTERIOR/OPEN STRUCTURE

DATE:	7-9-19
SCALE:	1:1
DOC:	CADJM.217/R4



For More Information Visit: Inprocorp.com