

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: Provides better gripping ability with ergonomically designed thumb groove and meets safety code with ADA and ANSI compliance. Delivers superior impact protection with internal vinyl bumper on lower portion of the handrail. Non-PVC cover is manufactured with G2 BioBlend Inpro's exclusive reformulated PETG made with a corn-based biopolymer.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized

Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

Threshold Disclosed Per

- Material
- Product

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

ALUMINUM [ALUMINUM LT-P1 | RES | PHY | END HEAVY NORMAL PARAFFINS (PETROLEUM) LT-UNK
 SILICON LT-UNK IRON LT-P1 | END ZINC LT-P1 | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY COPPER
 LT-UNK MANGANESE LT-P1 | END | MUL | REP TIN LT-UNK BISMUTH LT-UNK | G2 BIOBLEND RESIN [
 POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS | G2
 DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-1
 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-
 UNK] FIRE RETARDANT [UNDISCLOSED NoGS UNDISCLOSED BM-1]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold
 Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
 VERIFICATION #:

SCREENING DATE: 2017-08-29

PUBLISHED DATE: 2019-07-22

EXPIRY DATE: 2020-08-29

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ALUMINUM	%: 80.82
MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material	
OTHER MATERIAL NOTES: None	

ALUMINUM ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 99.40 - 99.40	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: None				

HEAVY NORMAL PARAFFINS (PETROLEUM) ID: 64771-72-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 1.00 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Aluminum ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

SILICON ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 1.00 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 1.00 - 1.00	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: None				

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 1.00 - 1.00	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
-----------------------	------------------	-----------------	-----------------	----------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: **None****MAGNESIUM**

ID: 7439-95-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 1.00 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Aluminum Ingredient
-----------------------	-------------------	-----------------	-----------------	----------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: **None****COPPER**

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 0.30 - 0.30	GS: LT-UNK	RC: None	NANO: No	ROLE: Aluminum Ingredient
-----------------------	-------------------	-----------------	-----------------	----------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None****MANGANESE**

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 0.20 - 0.20	GS: LT-P1	RC: None	NANO: No	ROLE: Aluminum Ingredient
-----------------------	------------------	-----------------	-----------------	----------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: **None****TIN**

ID: 7440-31-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 0.10	GS: LT-UNK	RC: None	NANO: No	ROLE: Aluminum ingredient
----------------	-------------------	-----------------	-----------------	----------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None**

BISMUTH

ID: 7440-69-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 0.10	GS: LT-UNK	RC: None	NANO: No	ROLE: Aluminum Ingredient
----------------	-------------------	-----------------	-----------------	----------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None****G2 BIOBLEND RESIN**%: **17.26**MATERIAL THRESHOLD: **100 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered in this material**OTHER MATERIAL NOTES: **None****POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)**ID: **25640-14-6**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 72.00 - 72.00	GS: NoGS	RC: None	NANO: No	ROLE: Resin Ingredient
-------------------------	-----------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 14.90 - 14.90	GS: NoGS	RC: None	NANO: No	ROLE: Resin Ingredient
-------------------------	-----------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 13.00 - 13.00	GS: NoGS	RC: None	NANO: No	ROLE: Resin Ingredient
-------------------------	-----------------	-----------------	-----------------	-------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Resin ingredient.****G2 DESIGNER WHITE PIGMENT**%: **0.77 - 0.77**MATERIAL THRESHOLD: **100 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered in this material**OTHER MATERIAL NOTES: **None****POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)**ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-08-29**

%: 63.50	GS: NoGS	RC: None	NANO: No	ROLE: Pigment ingredient
-----------------	-----------------	-----------------	-----------------	---------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Residuals have been considered**

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 35.10	GS: LT-1	RC: None	NANO: No	ROLE: Pigment Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
SUBSTANCE NOTES: None				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 0.20	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 0.20	GS: LT-P1	RC: None	NANO: No	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SUBSTANCE NOTES: None				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 0.10	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

FIRE RETARDANT

%: **0.19 - 0.19**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2017-08-29**

%: **80.00 - 80.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Fire retardant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2017-08-29**

%: **25.00 - 25.00**

GS: **BM-1**

RC: **None**

NANO: **No**

ROLE: **Fire retardant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-12	EXPIRY DATE: 2020-03-12	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All			
CERTIFICATE URL: https://spot.ul.com/			
CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status: Certified			

MULTI-ATTRIBUTE	Environmental Product Declaration		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2013-11-08	EXPIRY DATE: 2019-09-30	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All			
CERTIFICATE URL: https://easternus.azureedge.net/~media/Inpro/TDM%20Files/Documents/Inpro/Inpro%20Corner%20Guard%20EPDIPC2288%20Rev1pdf.ashx?modified=20170414105638			
CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -- all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: http://services.ul.com/service/environmental-product-declaration/			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

None

MANUFACTURER INFORMATION

MANUFACTURER: **Inpro**
 ADDRESS: **S80W18766 Apollo Drive**
Muskego WI 53150, USA
 WEBSITE: **www.inprocorp.com**

CONTACT NAME: **Laura Loucks**
 TITLE: **Sustainability Specialist**
 PHONE: **262-679-9010**
 EMAIL: **laloucks@inprocorp.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.