# G2 BioBlend 900 Handrail in Designer White by Inpro

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: Sleek, cost-effective handrail for areas that require support for residents and visitors with round and oval profile options available. Non-PVC cover is manufactured with G2 BioBlend Inpro's exclusive reformulated PETG made with a corn-based biopolymer.



# Section 1: Summary

# **Nested Method / Material Threshold**

~	A 1 1 2	 		TORY
""	101		$\sim$	INDV

Inventory Reporting Format
Nested Materials Method
C Basic Method

# **Threshold Disclosed Per**

Material C Product

T	hr	esh	old	le	vel
•		COI	ioiu	10	V CI

€ 100 ppm C 1,000 ppm

Per GHS SDS Per OSHA MSDS

C Other

### Residuals/Impurities

Residuals/Impurities Considered in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities? O Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

**Screened** 

All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

ALUMINUM [ ALUMINUM LT-P1 | RES | PHY | END HEAVY NORMAL PARAFFINS (PETROLEUM) LT-UNK SILICON LT-UNK IRON LT-P1 | END ZINC LT-P1 | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY COPPER LT-UNK MANGANESE LT-P1 | END | MUL | REP TIN LT-UNK BISMUTH LT-UNK ] G2 BIOBLEND RESIN [ POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS | FIRE RETARDANT [ UNDISCLOSED NoGS UNDISCLOSED BM-1 ] G2 DESIGNER WHITE PIGMENT [ POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) Nogs undisclosed LT-1 | CAN | END undisclosed LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK 1

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

None

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold

Multi-attribute: Environmental Product Declaration

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-08-29 PUBLISHED DATE: 2019-07-22 EXPIRY DATE: 2020-08-29



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

**ALUMINUM** %: 71.90

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

**ALUMINUM** ID: 7429-90-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-29 %: 99.40 - 99.40 GS: LT-P1 RC: None NANO: No **ROLE: Aluminum Ingredient** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H228 - Flammable solid PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H261 - In contact with water releases flammable gases **ENDOCRINE TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor

### **HEAVY NORMAL PARAFFINS (PETROLEUM)**

ID: 64771-72-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: <b>1.00 - 1.00</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Aluminum ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warnir	ngs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

**SILICON** ID: 7440-21-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: <b>201</b>	7-08-29
%: <b>1.00 - 1.00</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
None found			No warnir	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: 201	7-08-29
: 1.00 - 1.00	gs: <b>LT-P1</b>	RC: None	NANO: <b>No</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poter	ntial Endocrine [	Disruptor

HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD SCRI	EENING DATE: 201	7-08-29
%: 1.00 - 1.00	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	IINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)	H40	0 - Very toxic to	aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H25	0 - Catches fire s	spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		0 - In contact wit h may ignite spo	th water releases flammable gases ontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Pote	ential Endocrine	Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Clas	s 2 - Hazard to V	Vaters

MAGNESIUM				ID: <b>7439-95-4</b>
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREE	ENING DATE: 201	7-08-29
%: <b>1.00 - 1.00</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Aluminum Ingredient

SUBSTANCE NOTES: None

ZINC

ID: **7440-66-6** 

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

COPPER				ID: <b>7440-50-8</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: 0.30 - 0.30	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS	
None found			No warni	ngs found on HPD Priority Hazard Lists

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD: Phare	s Chemical and Materials Library	HAZARD SCRE	ENING DATE: 201	7-08-29
%: 0.20 - 0.20	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Aluminum Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Pote	ntial Endocrine I	Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Clas	s 2 - Hazard to V	Vaters
REPRODUCTIVE	Japan - GHS	Toxic	c to reproduction	n - Category 1B

SUBSTANCE NOTES: None

TIN				ID: <b>7440-31</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZAR			EENING DATE: 2	017-08-29
%: <b>0.10</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Aluminum ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

Materi

## **G2 BIOBLEND RESIN**

%: 22.75

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2017-08-29		
%: <b>72.00 - 72.00</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2017-08-29		
%: 14.90 - 14.90	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2017-08-29		
%: 13.00 - 13.00	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3		
None found			No warnings	found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Resin ingredient.

## **FIRE RETARDANT**

%: 2.81

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2017-08-29			
%: 90.00 - 90.00	gs: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Fire Retardant Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS			
None found			No wa	arnings found on HPD Priority Hazard Lists		

## UNDISCLOSED

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2017-08-29				
%: 25.00 - 25.00	gs: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Fire Retardant Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found			No wa	arnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Proprietary based on supplier information.					

## **G2 DESIGNER WHITE PIGMENT**

%: 1.13 - 1.13

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

## POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

SUBSTANCE NOTES: Proprietary based on supplier information.

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2017-08-29		
%: <b>63.50</b>	gs: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Pigment ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Residuals have been considered					

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: <b>35.10</b>	GS: LT-1	RC: None	NANO: <b>No</b>	ROLE: Pigment Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: None

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2017-08-29		
%: 1.00	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Pigment ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES. None					

SUBSTANCE NOTES: None

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2017-08-29		
%: <b>0.20</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Pigment ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: <b>None</b>					

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-29		
%: <b>0.20</b>	GS: LT-P1	RC: None	NANO: <b>No</b>	ROLE: Pigment ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SUBSTANCE NOTES: None		

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2017-08-29		
%: <b>0.10</b>	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Pigment ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		ı	No warnings fo	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### **VOC EMISSIONS**

### **Greenguard Gold**

ISSUE DATE: 2009-CERTIFYING PARTY: Third Party EXPIRY DATE: 2020-CERTIFIER OR LAB: UL 03-12 03-12 APPLICABLE FACILITIES: All Environment

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status:

Certified

#### **MULTI-ATTRIBUTE**

#### **Environmental Product Declaration**

CERTIFYING PARTY: Third Party ISSUE DATE: 2013-EXPIRY DATE: 2019-CERTIFIER OR LAB: UL APPLICABLE FACILITIES: All 11-08 09-30 **Environment** 

CERTIFICATE URL: https://spot.ul.com/

CERTIFICATE URL: https://spot.ul.com/

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -- all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: http://services.ul.com/service/environmental-product-declaration/



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

None

#### MANUFACTURER INFORMATION

MANUFACTURER: Inpro

ADDRESS: S80W18766 Apollo Drive

Muskego WI 53150, USA

WEBSITE: www.inprocorp.com

CONTACT NAME: Laura Loucks
TITLE: Sustainability Specialist

PHONE: 262-679-9010

EMAIL: laloucks@inprocorp.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Other Terms**

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.