G2 BioBlend 1000 Handrail in Designer White by Inpro

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21389

CLASSIFICATION: 10 26 16.16 Protective Corridor Handrails

PRODUCT DESCRIPTION: The 1000 handrail's innovative style fills the size gap between small handrails that offer no wall protection and large handrails that provide more protection then you may need. European style profile brings innovative design aspects to the look of this handrail. Non=PVC cover is manufactured with G2 BioBlend Inpro's exclusive reformulated PETG made with a corn-based biopolymer.

_	
_	
_	
_	

Section 1: Summary

Nested Method / Material Threshold

\sim	NIT.		17			TODY
υU	NI	ıEr	N I	IIJIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	/EN	TORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Abou	ve the Threshold Indicated Are:
Nested Materials Method Basic Method	€ 100 ppm€ 1,000 ppm	Residuals/Impurities Considered in 4 of 4 Materials	Characterized % weight and role p	C Yes Ex/SC • Yes C No rovided for all substances.
Threshold Disclosed Per Material Product	C Per GHS SDS C Other	Explanation(s) provided for Residuals/Impurities? • Yes • No	Screened All substances screenesults disclosed.	C Yes Ex/SC • Yes C No
			Identified	C Yes Ex/SC C Yes € No

s Ex/SC C Yes © No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM [ALUMINUM NoGS SILICON LT-UNK IRON LT-P1 | END MAGNESIUM LT-UNK | PHY ZINC LT-P1 | AQU | PHY | END | MUL] G2 **BIOBLEND RESIN [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)** Nogs undisclosed Nogs undisclosed Nogs | fire retardant [UNDISCLOSED NoGS UNDISCLOSED BM-1] DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial No.

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold

Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-08-11 PUBLISHED DATE: 2020-08-11 EXPIRY DATE: 2023-08-11



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

4	ALUMINUM	%: 72.1300			
-	MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSI	DERED: Yes		MATERIAL TYPE: Metal
	RESIDUALS AND IMPURITIES NOTES: Residua	als and impurities were conside	red in this F	IPD	
(OTHER MATERIAL NOTES:				
	ALUMINUM				ID: 91728-14-2
	HAZARD SCREENING METHOD: Pharos Chemic	cal and Materials Library	HAZARD SCREEN	NING DATE: 2020	-08-11
	%: 0.9900 GS: N (oGS	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
	HAZARD TYPE AGENC	CY AND LIST TITLES	WARNINGS		
	None found			No warnings	found on HPD Priority Hazard Lists
	SUBSTANCE NOTES:				
	SILICON				ID: 7440-21-3
	HAZARD SCREENING METHOD: Pharos Chemic	cal and Materials Library	HAZARD SCRE	EENING DATE: 202	20-08-11
	%: 0.0100 GS: LT	T-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
	HAZARD TYPE AGENC	CY AND LIST TITLES	WARNINGS		
	None found			No warnings	found on HPD Priority Hazard Lists
	SUBSTANCE NOTES:				
	IRON				ID: 7439-89-6
	HAZARD SCREENING METHOD: Pharos Chemic	cal and Materials Library	HAZARD SCREEN	NING DATE: 2020	-08-11
	%: 0.0100 GS: L 1	T-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
	HAZARD TYPE AGENC	CY AND LIST TITLES	WARNINGS		
	ENDOCRINE TED:	X - Potential Endocrine Disruptors	Potential	Endocrine Disru	uptor

MAGNESIUM ID: 7439-95-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-11			
%: 0.0100	GS: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gase which may ignite spontaneously		•	

SUBSTANCE NOTES:

ZINC ID: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-11			
%: 0.0100	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 -	Very toxic to aq	uatic life	
CHRON AQUATIC	EU - GHS (H-Statements)	H410 -	Very toxic to aq	uatic life with long lasting effects	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 -	Catches fire spo	ontaneously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		In contact with way ignite spont	water releases flammable gases aneously	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potenti	al Endocrine Dis	cruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2	- Hazard to Wa	ters	

SUBSTANCE NOTES:

G2 BIOBLEND RESIN %: 22.5700

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this product

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20	20-08-11
%: 72.0000 - 72.0000	gs: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	/arnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-11			
%: 14.9000 - 14.9000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
None found			No v	varnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Propriety	according to supplier request				

1 , 0 11 1

UNDISCLOSED

AZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20	20-08-11
6: 13.0000 - 13.0000	gs: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lis

SUBSTANCE NOTES: Propriety according to supplier request

FIRE RETARDANT %: 2.7900

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material

OTHER MATERIAL NOTES: None

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-11			
%: 90.0000 - 90.0000	gs: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
None found			No w	arnings found on HPD Priority Hazard Lists	

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 202	20-08-11
%: 25.0000 - 25.0000	gs: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	arnings found on HPD Priority Hazard Lists
substance notes: Proprietary	y based on supplier information.			

SUBSTANCE NOTES: Proprietary based on supplier information.

DESIGNER WHITE PIGMENT %: 1.1100

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

HAZARD SCREENING METHOD	HAZARD SCREE	HAZARD SCREENING DATE: 2020-08-11			
%: 63.5000	gs: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING:	S		
None found			No warning	s found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None)				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-11			
%: 35.0800 - 35.0800	gs: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
CANCER	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: Propriety according to supplier request



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Greenguard Gold

ISSUE DATE: 2009-CERTIFYING PARTY: Third Party EXPIRY DATE: 2020-CERTIFIER OR LAB: UL 03-12 03-12 APPLICABLE FACILITIES: All Environment

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status:

Certified

MULTI-ATTRIBUTE

Environmental Product Declaration

CERTIFYING PARTY: Third Party ISSUE DATE: 2013-EXPIRY DATE: 2019-CERTIFIER OR LAB: UL APPLICABLE FACILITIES: All 11-08 09-30 **Environment**

CERTIFICATE URL: https://spot.ul.com/

CERTIFICATE URL: https://spot.ul.com/

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -- all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: http://services.ul.com/service/environmental-product-declaration/



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

None

MANUFACTURER INFORMATION

MANUFACTURER: Inpro

ADDRESS: S80W18766 Apollo Drive

Muskego WI 53150, USA

WEBSITE: www.inprocorp.com

CONTACT NAME: Laura Loucks
TITLE: Sustainability Specialist

PHONE: 262-679-9010

EMAIL: laloucks@inprocorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GFN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.