## Jointmaster Expansion J113/J114/J115 by Inpro

# Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22640

CLASSIFICATION: 07 95 13 Expansion Joint Cover Assemblies PRODUCT DESCRIPTION: The wall + ceiling expansion joint system incorporates a bellows seal with allows for +/- 50% seismic movement.

# Section 1: Summary

### CONTENT INVENTORY

- Inventory Reporting Format © Nested Materials Method
- C Basic Method
- Threshold Disclosed Per
- C Material
- O Product

- Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Other
- Residuals/Impurities Residuals/Impurities Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities? • Yes O No

## **Nested Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC • Yes O No

 % weight and role provided for all substances.

Screened © Yes Ex/SC © Yes © No All substances screened using Priority Hazard Lists with results disclosed.

 Identified
 O Yes Ex/SC O Yes O No

 All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM [ ALUMINUM BM-1 | RES | PHY | END HEAVY NORMAL PARAFFINS (PETROLEUM) LT-UNK SILICON LT-UNK IRON LT-P1 | END ZINC LT-P1 | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY COPPER LT-P1 | MUL MANGANESE LT-P1 | END | MUL | REP TIN LT-UNK BISMUTH LT-UNK ]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category. Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Combine this HPD with Santoprene Seal HPD (attached) for the remaining percentage of the product.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: Inherently non- emitting source per LEED®

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified? <sup>•</sup> Yes <sup>•</sup> No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-23 PUBLISHED DATE: 2020-10-23 EXPIRY DATE: 2023-10-23 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

	%: 53.0000				
RODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE				TYPE: Metal
ESIDUALS AND IMPURITIES NOTE	S: Residuals and impurities are consider	ed			
THER MATERIAL NOTES: No mate	rial notes available for this material				
ALUMINUM					ID: 7429-90
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DA	TE: 2020-10-23	
%: 99.4000 - 99.4000	GS: <b>BM-1</b>	RC: None	NANO: No	SUBSTANCE ROL	E: Alloy elemen
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS		
RESPIRATORY	AOEC - Asthmagens	Asthm	nagen (Rs) - s	ensitizer-induced	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250	- Catches fire	spontaneously if ex	posed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261	- In contact w	vith water releases fla	ammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	s Potential Endocrine Disruptor			
SUBSTANCE NOTES: None	TROLEUM)				ID: 64771-72
HEAVY NORMAL PARAFFINS (PE	TROLEUM) Pharos Chemical and Materials Library		REENING DA	TE: 2020-10-23	ID: <b>64771-72</b>
HEAVY NORMAL PARAFFINS (PE			REENING DA	TE: 2020-10-23 SUBSTANCE ROL	
HEAVY NORMAL PARAFFINS (PE HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	NANO: No		
HEAVY NORMAL PARAFFINS (PETHAZARD SCREENING METHOD: 10000 - 1.0000	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SC RC: None	NANO: <b>No</b> NINGS		E: Alloy elemen
HEAVY NORMAL PARAFFINS (PE HAZARD SCREENING METHOD: %: 1.0000 - 1.0000 HAZARD TYPE	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SC RC: None	NANO: <b>No</b> NINGS	SUBSTANCE ROL	E: Alloy elemen
HEAVY NORMAL PARAFFINS (PETHAZARD SCREENING METHOD: %: 1.0000 - 1.0000 HAZARD TYPE None found	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SC RC: None	NANO: <b>No</b> NINGS	SUBSTANCE ROL	E: Alloy elemen
HEAVY NORMAL PARAFFINS (PE HAZARD SCREENING METHOD: 1 %: 1.0000 - 1.0000 HAZARD TYPE None found SUBSTANCE NOTES: None SILICON	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SC RC: None WARN	NANO: <b>No</b> NINGS No warning	SUBSTANCE ROL	E: Alloy elemen
HEAVY NORMAL PARAFFINS (PE HAZARD SCREENING METHOD: 1 %: 1.0000 - 1.0000 HAZARD TYPE None found SUBSTANCE NOTES: None SILICON	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	HAZARD SC RC: None WARN	NANO: <b>No</b> NINGS No warning	SUBSTANCE ROL	E: Alloy elemen prity Hazard List ID: 7440-21
HEAVY NORMAL PARAFFINS (PETHAZARD SCREENING METHOD: 1 %: 1.0000 - 1.0000 HAZARD TYPE None found SUBSTANCE NOTES: None SILICON HAZARD SCREENING METHOD: 1	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES Pharos Chemical and Materials Library	HAZARD SC RC: None WARN	NANO: <b>No</b> NINGS No warning REENING DA	SUBSTANCE ROL gs found on HPD Prid	E: Alloy elemen prity Hazard List ID: 7440-21
HEAVY NORMAL PARAFFINS (PE HAZARD SCREENING METHOD: %: 1.0000 - 1.0000 HAZARD TYPE None found SUBSTANCE NOTES: None SILICON HAZARD SCREENING METHOD: %: 1.0000 - 1.0000	Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SC RC: None WARN HAZARD SC RC: None	NANO: No NINGS No warning REENING DA NANO: No	SUBSTANCE ROL gs found on HPD Prid	E: Alloy elemen ority Hazard List ID: 7440-21 E: Alloy elemen

### IRON

ENDOCRINE	TEDX - Potential Endocrine Disruptors	s Potential Endocrine Disruptor		Disruptor
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
%: 1.0000 - 1.0000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	CREENING DA	TE: 2020-10-23

SUBSTANCE NOTES: None

ZI	Ν	С

ID: 7440-66-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-23			
%: 1.0000 - 1.0000	GS: <b>LT-P1</b>	RC: N	one	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400	- Very toxic to	aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410	- Very toxic to	aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250	- Catches fire	spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)			- In contact w may ignite sp	rith water releases flammable gases pontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Poter	itial Endocrine	Disruptor
MULTIPLE	German FEA - Substances Hazardous t Waters	to	Class	2 - Hazard to	Waters

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DA	TE: 2020-10-23	
%: 1.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE	Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250	- Catches fire	spontaneously if expo	osed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		- In contact w n may ignite sp	vith water releases flan pontaneously	nmable gases
OUDOTANOE NOTEO, No.					
SUBSTANCE NOTES: None					
SUBSTANCE NOTES: None					
COPPER					ID: <b>7440-50-</b>
COPPER	Pharos Chemical and Materials Library	HAZARD SO	CREENING DA	TE: 2020-10-23	ID: <b>7440-50</b> -
COPPER	Pharos Chemical and Materials Library GS: LT-P1	HAZARD SO RC: None	CREENING DA NANO: <b>No</b>	TE: 2020-10-23 SUBSTANCE ROLE:	
COPPER HAZARD SCREENING METHOD:	-	RC: None			

AZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD	SCREENING D	ATE: 2020-10-23	
: 0.2000 - 0.2000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROL	E: Alloy elemen
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MULTIPLE	German FEA - Substances Hazardous t Waters	o Cla	ass 2 - Hazard t	to Waters	
REPRODUCTIVE	GHS - Japan	To	xic to reproduc	tion - Category 1B [H3	860]
SUBSTANCE NOTES: None					
Ν					ID: 7440-31
AZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD	SCREENING D	ATE: 2020-10-23	
: 0.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROL	E: Alloy elemen
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
None found			No warnin	ngs found on HPD Pric	ority Hazard List
SUBSTANCE NOTES: None					
ISMUTH					ID: <b>7440-6</b> 9
AZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD	SCREENING D	ATE: 2020-10-23	
: 0.1000	GS: LT-UNK	RC: None	e NANO: No	SUBSTANCE ROL	E: Alloy elemen
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		

SUBSTANCE NOTES: None

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non- emitting source per LEED®			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2020-10- EXPIRY DATE: 23	CERTIFIER OR LAB: NA		

CERTIFICATION AND COMPLIANCE NOTES:

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### SANTOPRENE SEAL

HPD URL: https://hpdrepository.hpd-collaborative.org/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This accessory is required for this product.

## Section 5: General Notes

No general notes for this product.

### MANUFACTURER INFORMATION

MANUFACTURER: Inpro ADDRESS: s80 w18766 Apollo Dr Muskego Wisconsin 53150, United States WEBSITE: inprocorp.com

CONTACT NAME: Laura Loucks TITLE: Sustainability Specialist PHONE: 800-222-5556 EMAIL: laloucks@inprocorp.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.